
Printing date 03/13/2019

Reviewed on 03/13/2019

1 Identification

- Product identifier 07913
- Trade name: 07913 Metered Hospeco Odor Neutralizer
- · Manufacturer article number: EAEDC186
- Application of the substance / the mixture Air Freshener
- Details of the supplier of the safety data sheet (191)
 Manufacturer/Supplier: HOSPECO Cleveland OH 44143 P: 800.321.9832 F: 800.362.0073 www.hospeco.com
- Information department: HOSPECO Technical Support • Emergency telephone number: P: 800.321.9832

2 Hazard(s) identification



- · Signal word Danger
- Hazard-determining components of labeling: acetone
 Hazard statements
 Extremely flammable aerosol.
 Contains gas under pressure; may explode if heated.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

(Contd. on page 2)

· US

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

D	(Contd. of page
Precautionary	
	ce is needed, have product container or label at hand.
	ach of children.
Read label be	
	m heat/sparks/open flames/hot surfaces No smoking.
	n an open flame or other ignition source.
	ntainer: Do not pierce or burn, even after use.
	g dust/fume/gas/mist/vapors/spray
	ily after handling.
	ors or in a well-ventilated area.
	ection / face protection.
	Remove person to fresh air and keep comfortable for breathing.
	se cautiously with water for several minutes. Remove contact lenses, if present and easy to a
Continue rins	ıg.
Call a poison	renter/doctor if you feel unwell.
If eye irritatio	persists: Get medical advice/attention.
Store in a wel	ventilated place. Keep container tightly closed.
Store locked u).
Protect from s	inlight. Store in a well-ventilated place.
Protect from s	<i>unlight. Do not expose to temperatures exceeding 50°C/122°F.</i>
Dispose of con	tents/container in accordance with local/regional/national/international regulations.
Classification	system:
NFPA ratings	(scale 0 - 4)
	Health = 2
4	Fire = 4
2	
	Reactivity = 1
HMIS-ratings	(scale 0 - 4)
HEALTH 2	Health = 2
	Fire = 4
REACTIVITY 1	Reactivity = 1
Other hazard	
-	and vPvB assessment
PBT: Not app	
vPvB: Not app	

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangeroi	· Dangerous components:		
67-64-1	acetone	>50-≤100%	
75-28-5	isobutane	>10-≤25%	
74-98-6	propane	>2.5-≤10%	
106-97-8	butane	≤2.5%	

(Contd. on page 3)

US

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Generally the product does not irritate the skin.*
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

67-64-1 acetone	200 ppm
75-28-5 isobutane	5500* ppn
74-98-6 propane	5500* ppn
112-27-6 2,2'-(ethylenedioxy)diethanol	130 mg/m ²
106-97-8 butane	5500* ppn
110-91-8 morpholine	30 ppm
PAC-2:	
67-64-1 acetone	3200* ppm
75-28-5 isobutane	17000** ppn
74-98-6 propane	17000** ppn
112-27-6 2,2'-(ethylenedioxy)diethanol	1,400 mg/m ³
	(Contd. on page

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

		(Contd. of page 3)
106-97-8	butane	17000** ppm
110-91-8	morpholine	1,300 ppm
• PAC-3:		
67-64-1	acetone	5700* ppm
75-28-5	isobutane	53000*** ppm
74-98-6	propane	33000*** ppm
112-27-6	2,2'-(ethylenedioxy)diethanol	4,400 mg/m ³
106-97-8		53000*** ppm
110-91-8	morpholine	8000** ppm

*

7 Handling and storage

· Handling:

· Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· Conditions for safe storage, including any incompatibilities

· Storage:

• *Requirements to be met by storerooms and receptacles:*

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:	
67-64-1 acetone	
PEL Long-term value: 2400 mg/m³, 1000 ppm	
REL Long-term value: 590 mg/m ³ , 250 ppm	
TLV Short-term value: 1187 mg/m ³ , 500 ppm	
Long-term value: 594 mg/m ³ , 250 ppm	
BEI	
75-28-5 isobutane	
TLV Short-term value: 2370 mg/m ³ , 1000 ppm	
(EX)	
74-98-6 propane	
PEL Long-term value: 1800 mg/m³, 1000 ppm	
REL Long-term value: 1800 mg/m³, 1000 ppm	
TLV refer to Appendix F inTLVs&BEIs book; D, EX	
	(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

106-97-8 butane

REL Long-term value: 1900 mg/m³, 800 ppm

TLV Short-term value: 2370 mg/m³, 1000 ppm (EX)

Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:** Safety glasses



(Contd. on page 6)

Printing date 03/13/2019

*

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Aerosol
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-44 °C (-47.2 °F)
Flash point:	< 0 °C (<32 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	460 °C (860 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.7 Vol %
Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	8,300 hPa (6,225.5 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	85.8 %
VOC content:	28.64 %
	386.4 g/l / 3.22 lb/gal
Solids content:	1.0 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 7)

US -

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

• Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

3

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

*

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN1950
UN proper shipping name DOT	Aerosols, flammable
IMDG IATA	AEROSOLS AEROSOLS, flammable
Transport hazard class(es)	
DOT	
PLANARE GAS	
Class	2.1
Label	2.1
Class	2.1
· Label	2.1
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler):	Warning: Gases
EMS Number:	F- D , S - U
Stowage Code	SW22 For AEROSOLS with a maximum capacity of 1 litre: Categ A. For AEROSOLS with a capacity above 1 litre: Category B. A WASTE AEROSOLS: Category C, Clear of living quarters.

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

	(Contd. of page 8
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre Segregation as for class 9. Stow "separated from" class 1 except fo division 1.4. For AEROSOLS with a capacity above 1 litre Segregation as for the appropriate subdivision of class 2. Fo WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
·IMDG	
· Limited quantities (LQ)	lL
• Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

110-91-8 morpholine

(Contd. on page 10)

Ι

A4

A4

⁻ US

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

	(Contd. of page
	Ca (National Institute for Occupational Safety and Health)
None of t	he ingredients is listed.
	el elements The product is classified and labeled according to the Globally Harmonized System (GHS). ictograms
$\mathbf{\nabla}$	
GHS02	GHS04 GHS07
Signal w	ord Danger
	letermining components of labeling:
acetone	
-	tatements
	y flammable aerosol.
	gas under pressure; may explode if heated.
	erious eye irritation.
	se drowsiness or dizziness.
	onary statements
	<i>l advice is needed, have product container or label at hand.</i>
	of reach of children.
	el before use.
	ay from heat/sparks/open flames/hot surfaces No smoking.
	oray on an open flame or other ignition source.
	ed container: Do not pierce or burn, even after use.
	eathing dust/fume/gas/mist/vapors/spray
	roughly after handling.
	outdoors or in a well-ventilated area.
	protection / face protection.
	LED: Remove person to fresh air and keep comfortable for breathing.
	s: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a
Continue	
	ison center/doctor if you feel unwell.
	itation persists: Get medical advice/attention.
Store in a	a well-ventilated place. Keep container tightly closed.
Store loci	ked up.
	rom sunlight. Store in a well-ventilated place.
	rom sunlight. Do not expose to temperatures exceeding 50°C/122°F.
	of contents/container in accordance with local/regional/national/international regulations.
	I safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

· Contact: P: 800.321.9832

• Date of preparation / last revision 03/13/2019 / 3

- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 11)

Printing date 03/13/2019

Reviewed on 03/13/2019

Trade name: 07913 Metered Hospeco Odor Neutralizer

Flam. Aerosol 1: Aerosols – Category 1 Press. Gas: Gases under pressure – Compressed gas Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit	(Contd. of page 10
REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Aerosol 1: Aerosols – Category 1 Press. Gas: Gases under pressure – Compressed gas Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	TLV: Threshold Limit Value	
Flam. Aerosol 1: Aerosols – Category 1 Press. Gas: Gases under pressure – Compressed gas Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	REL: Recommended Exposure Limit	
Press. Gas: Gases under pressure – Compressed gas Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	Press. Gas: Gases under pressure – Compressed gas	
	Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
* Data compared to the previous version altered	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Data compared to the previous version difered.	* Data compared to the previous version altered.	